

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Brandschutz Hybrid 325

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Ramsauer GmbH & Co KG
Alte Bundesstraße 147
5350 Strobl / Wolfgangsee / AUSTRIA
Phone +43 (0)6135 8205 0
Fax +43 (0)6135 8205-250
Homepage www.ramsauer.eu
E-mail office@ramsauer.eu

Address enquiries to

Technical information

office@ramsauer.at

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

+43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Eye Irrit. 2: H319 Causes serious eye irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

WARNING

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear eye protection.

2.3 Other hazards

Physico-chemical hazards

Contact with moisture liberates Methanol.

Environmental hazards

Does not contain any PBT or vPvB substances.
Contains no ingredients with endocrine-disrupting properties.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 2 / 12

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - <10	Benzene, C14-30-alkyl derivs. CAS: 68855-24-3, EINECS/ELINCS: 272-472-8 GHS/CLP: Aquatic Chronic 4: H413
1 - <3	3-(Trimethoxysilyl)propylamine CAS: 13822-56-5, EINECS/ELINCS: 237-511-5, Reg-No.: 01-2119510159-45-XXXX GHS/CLP: Eye Dam. 1: H318 - Skin Irrit. 2: H315

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Consult a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder.
Foam.
Water spray jet.
Carbon dioxide.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:
Carbon monoxide (CO)
Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
High risk of slipping due to leakage/spillage of product.
Use personal protective equipment (protective gloves, safety glasses, protective clothing).

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 3 / 12

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink, smoke or take drugs at work.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating.

Protect from atmospheric moisture and water.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 4 / 12

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
Industrial, inhalative, Acute - systemic effects, 260 mg/m ³
Industrial, dermal, Long-term - systemic effects, 1 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 7.1 mg/m ³
general population, inhalative, Long-term - systemic effects, 1.7 mg/m ³
general population, inhalative, Acute - systemic effects, 50 mg/m ³
general population, oral, Long-term - systemic effects, 8 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 0.5 mg/kg bw/day

PNEC

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
soil, 45 µg/kg soil dw
sediment (seawater), 120 µg/kg sediment dw
sediment (freshwater), 1.2 mg/kg sediment dw
sewage treatment plants (STP), 13 mg/L
seawater, 33 µg/L
freshwater, 330 µg/L

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0.7 mm Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Not required under normal conditions.
Other	Avoid contact with eyes and skin. Do not inhale vapours. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	no
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 5 / 12

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	pasty
Color	various
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not determined
Boiling point or initial boiling point and boiling range [°C]	not applicable
Flash point [°C]	not applicable
Flammability	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm ³]	not determined
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	not applicable
Relative vapour density	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 6 / 12

10.5 Incompatible materials

Water

10.6 Hazardous decomposition products

In the case of heating (150-180°C) following modest (decomposition) products may occur:

Formaldehyde.

Contact with moisture liberates Methanol.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity Based on available data, the classification criteria are not met.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
LD50, oral, Rat, 2.97 mL/kg bw, OECD 401
Benzene, C14-30-alkyl derivs., CAS: 68855-24-3
LD50, oral, Rat, > 5000 mg/kg

Acute dermal toxicity Based on available data, the classification criteria are not met.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
LD50, dermal, Rabbit, 11.3 mL/kg bw, OECD 402
Benzene, C14-30-alkyl derivs., CAS: 68855-24-3
LD50, dermal, Rabbit, > 3000 mg/kg

Acute inhalational toxicity Based on available data, the classification criteria are not met.

Serious eye damage/irritation Irritant

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
Eye, Rabbit, OECD 405, corrosive

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
dermal, Rabbit, OECD 404, irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
dermal, Guinea pig, OECD 406, non-sensitizing

Specific target organ toxicity — single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity — repeated exposure Based on available data, the classification criteria are not met.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
NOAEL, oral, Rat, 100 mg/kg bw/day, OECD 408, adverse effect observed

Mutagenicity Does not contain a relevant substance that meets the classification criteria.

Substance
3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5
in vitro, OECD 471, negativ

Reproduction toxicity Does not contain a relevant substance that meets the classification criteria.

- Fertility

Substance

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 8 / 12

3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 414, no adverse effect observed

- Development

Substance

3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 414, no adverse effect observed

Carcinogenicity

Does not contain a relevant substance that meets the classification criteria.

Aspiration hazard

Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information

none

SECTION 12: Ecological information

12.1 Toxicity

Substance

3-(Trimethoxysilyl)propylamine, CAS: 13822-56-5

LC50, (96h), fish, 934 mg/L

EC50, (72h), Algae, >603 - 1000 mg/L

EC50, (48h), Daphnia magna, 331 mg/L

Benzene, C14-30-alkyl derivs., CAS: 68855-24-3

LC50, (96h), fish, 10 000 mg/L

EC50, (48h), Daphnia magna, > 1000 mg/L

12.2 Persistence and degradability

Behaviour in environment compartments

not determined

Behaviour in sewage plant

not determined

Biological degradability

not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not applicable

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 9 / 12

12.7 Other adverse effects

Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.
Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 070216*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 10 / 12

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Ramsauer GmbH & Co KG
5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 2.0. Supersedes version: 1.0

Page 11 / 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex I (REACH)	The product is not subject to Annex I restrictions.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)
NATIONAL REGULATIONS (EU):	
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H315 Causes skin irritation.
H318 Causes serious eye damage.
H413 May cause long lasting harmful effects to aquatic life.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Modified position none

Copyright: Chemiebüro®