Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Hitze-und Ölbeständig 345

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Silicon

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ramsauer GmbH & Co KG

Alte Bundesstraße 147

5350 Strobl / Wolfgangsee / AUSTRIA

Phone +43 (0)6135 8205 0 Fax +43 (0)6135 8205-250 Homepage www.ramsauer.eu E-mail office@ramsauer.eu

Address enquiries to

Technical information office@ramsauer.at

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

Contains: N-[3-(TrimethoxysilyI)propyI]ethylenediamine. EUH208 May produce an allergic

reaction.

2.3 Other hazards

Human health dangers Contact with moisture liberates Methanol and acetone oxime.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023	Version 1.0. Supersedes version: 5.0	Page 2 / 13
--	--------------------------------------	-------------

3.2 Mixtures

The product is a mixture.

Range [%]	Substance	
1 - <5	5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene	
	CAS: 58190-57-1, EINECS/ELINCS: 611-631-1, Reg-No.: 01-2119982962-22-XXXX GHS/CLP: STOT RE 2: H373	
1 - <5	2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime	
	CAS: 58190-62-8, EINECS/ELINCS: 700-810-0, Reg-No.: 01-2120006148-66-XXXX	
	GHS/CLP: Acute Tox. 4: H302 - Eye Irrit. 2: H319	-
0.1 - <1	N-[3-(Trimethoxysilyl)propyl]ethylenediamine	
	CAS: 1760-24-3, EINECS/ELINCS: 217-164-6	
	GHS/CLP: Skin Sens. 1B: H317 - Eye Dam. 1: H318 - STOT SE 3: H335	

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Carbon monoxide (CO) Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 3 / 13

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder,

diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink, smoke or take drugs at work.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep in a cool place. Store in a dry place.

Protect from heat/overheating.

Protect from atmospheric moisture and water.

7.3 Specific end use(s)

See product use, SECTION 1.2

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 4 / 13

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES

Methanol

CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X, Reg-No.: 01-2119433307-44-XXXX

Eight hours: 200 ppm, 260 mg/m³, H

DNEL

Substance
5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene, CAS: 58190-57-1
Industrial, dermal, Long-term - systemic effects, 59.35 μg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 418.57 μg/m³
general population, oral, Long-term - systemic effects, 29.68 µg/kg bw/day
general population, dermal, Long-term - systemic effects, 29.68 µg/kg bw/day
general population, inhalative, Long-term - systemic effects, 103.22 μg/m³
2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime, CAS: 58190-62-8
Industrial, dermal, Long-term - systemic effects, 65 μg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 229.2 μg/m³
general population, inhalative, Long-term - systemic effects, 56.5 μg/m³
general population, oral. Long-term - systemic effects, 32,5 µg/kg bw/day

general population, dermal, Long-term - systemic effects, 32.5 µg/kg bw/day

PNEC

Substance
5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene, CAS: 58190-57-1
soil, 240.95 mg/kg soil dw
sediment (seawater), 204.705 mg/kg sediment dw
sediment (freshwater), 2047.053 mg/kg sediment dw
sewage treatment plants (STP), 2.398 μg/L
seawater, 23.98 µg/L
freshwater, 239.78 µg/L
2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime, CAS: 58190-62-8
soil, 45.6 µg/kg soil dw
sediment (seawater), 59 µg/kg sediment dw
sediment (freshwater), 586 μg/kg sediment dw
sewage treatment plants (STP), 2.22 mg/L
seawater, 10.3 µg/L
freshwater, 103 µg/L

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 5 / 13

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection 0.7 mm Butyl rubber, >480 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

information.

Skin protection Protective clothing (EN 340)

Other Avoid contact with eyes and skin.

Do not inhale vapours.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions.

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 6 / 13

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state liquid **Form** pasty Color black

Odor characteristic **Odour threshold** not determined pH-value not applicable pH-value [1%] not determined Boiling point or initial boiling point not applicable

and boiling range [°C]

Flash point [°C] not applicable Flammability not determined Lower explosion limit not applicable Upper explosion limit not applicable **Oxidising properties** no

Vapour pressure/gas pressure [kPa] not determined Density [g/cm³] not determined Relative density not determined Bulk density [kg/m³] not applicable

Solubility in water virtually insoluble

Partition coefficient n-octanol/water

Solubility other solvents

(log value)

not determined

No information available.

Kinematic viscosity not applicable Relative vapour density not determined **Evaporation speed** not determined Melting point [°C] not determined Auto-ignition temperature [°C] not applicable Decomposition temperature [°C] not determined

Particle characteristics No information available.

Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 7 / 13

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

Contact with moisture liberates Methanol and acetone oxime. In the case of heating (150-180°C) following modest (decomposition) products may occure: Formaldehyde.

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 8 / 13

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

Substance

5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene, CAS: 58190-57-1

LD50, oral, Rat, 2500 mg/kg (OECD 423)

2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime, CAS: 58190-62-8

LD50, oral, Rat, 1000 - 2000 mg/kg bw

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

LD50, oral, Rat, 2995 mg/kg

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Substance

5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene, CAS: 58190-57-1

LD50, dermal, Rat, ~2500 mg/kg (OECD 402)

2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime, CAS: 58190-62-8

LD50, dermal, Rat, 2000 mg/kg bw

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

LD50, dermal, Rat, > 2000 mg/kg

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

Rabbit, OECD 405, Causes serious eye damage.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

Rabbit, OECD 404, Slight irritant effect - does not require labelling.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

May cause an allergic skin reaction.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

dermal, mouse, OECD 429, sensitising

dermal, Guinea pig, OECD 406, sensitising

Specific target organ toxicity — single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity —

Based on available data, the classification criteria are not met.

repeated exposure

Substance

5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene, CAS: 58190-57-1

NOAEL, oral, Rat, 11.87 mg/kg bw/day, systemic, subchronic,

2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime, CAS: 58190-62-8

NOAEL, oral, Rat, 13 mg/kg bw/day, systemic, subchronic,

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 9 / 13

NOAEL, oral, Rat, > 500 mg/kg (28d), OECD 422, no adverse effect observed

Mutagenicity

Does not contain a relevant substance that meets the classification criteria.

Substance

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

in vitro, OECD 476, negativ

in vitro, OECD 471, negativ

Reproduction toxicity

Does not contain a relevant substance that meets the classification criteria.

- Fertility

Substance

5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene, CAS: 58190-57-1

NOAEL, oral, Rat, 79.13 mg/kg bw/day, fertility, subchronic

2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime, CAS: 58190-62-8

NOAEL, oral, Rat, 175 mg/kg bw/day, developmental, subacute,

NOAEL, oral, Rat, 103 mg/kg bw/day, fertility, subacute,

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

NOAEL, oral, Rat, >= 500 mg/kg, OECD 422

- Development

Substance

5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene, CAS: 58190-57-1

NOAEL, oral, Rat, 79.13 mg/kg bw/day, fertility, subchronic

2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime, CAS: 58190-62-8

NOAEL, oral, Rat, 175 mg/kg bw/day, developmental, subacute,

NOAEL, oral, Rat, 103 mg/kg bw/day, fertility, subacute,

N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3

NOAEL, oral, Rat, >= 500 mg/kg, OECD 422

Carcinogenicity Does not contain a relevant substance that meets the classification criteria.

Aspiration hazard Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 10 / 13

SECTION 12: Ecological information

12.1 Toxicity

Substance
5-ethyl-2,8-dimethyl-5-[(propan-2-ylideneamino)oxy]-4,6-dioxa-3,7-diaza-5-silanona-2,7-diene, CAS: 58190-57-1
LC50, (96h), Pimephales promelas, 696.76 mg/l (OECD 203)
EC50, (72h), Pseudokirchneriella subcapitata, 315.36 mg/l (OECD 201)
EC50, (48h), Daphnia magna, 678.73 mg/l (OECD 202)
2-Pentanone, O,O',O"-(ethenylsilylidyne)trioxime, CAS: 58190-62-8
LC50, (96h), fish, 100 - 117 mg/L
EC50, (72h), Algae, 50 - 103 mg/L
EC50, (48h), Daphnia magna, 100 - 117 mg/L
N-[3-(Trimethoxysilyl)propyl]ethylenediamine, CAS: 1760-24-3
LC50, (96h), Danio rerio, 597 mg/l
EC50, (16h), Pseudomonas putida, 67 mg/l
EC50, (48h), Daphnia magna, 81 mg/l
IC50, (72h), Algae, 8.8 mg/l (OECD 201)
NOEC, (14d), >= 1000 mg/kg (Eisenia fetida; OECD 207)
NOEC, (21d), Daphnia magna, > 1 mg/l
NOEC, (72h), Algae, 3.1 mg/l (OECD 201)

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant

not determined

Biological degradability

not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 11 / 13

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

070217

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Dispose full / partially emptied cartridges as hazardous waste in accordance with official

regulations.

Waste no. (recommended)

150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Inland navigation (ADN)

Transport by land according to ADR/RID

not applicable

IMDG

not applicable

Marine transport in accordance with

not applicable

Air transport in accordance with IATA not applicable

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 12 / 13

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH) The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 20, 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (EU):

- Observe employment restrictions no

for people

110

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

Hitze-und Ölbeständig 345

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 16.11.2023, Revision 16.11.2023

Version 1.0. Supersedes version: 5.0

Page 13 / 13

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H335 May cause respiratory irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Modified position

1.3, 1.4, 2.3, 3.2, 6.1, 8.1, 8.2, 9.1, 11.1, 11.2, 12.1, 12.6, 13.1, 15.1, 16.1, 16.2, 16.3

Copyright: Chemiebüro®