Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 8.0

Page 1 / 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Struktur Acryl 425

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ramsauer GmbH & Co KG

Alte Bundesstraße 147

5350 Strobl / Wolfgangsee / AUSTRIA

Phone +43 (0)6135 8205 0 Fax +43 (0)6135 8205-250 Homepage www.ramsauer.eu E-mail office@ramsauer.eu

Address enquiries to

Technical information office@ramsauer.eu

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

Product treated with preservatives C(M)IT/MIT (3:1) (CAS: 55965-84-9).

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

Contains: Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1),

1,2-benzisothiazol-3(2H)-one. EUH208 May produce an allergic reaction.

2.3 Other hazards

Environmental hazardsDoes not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023	Version 8.0	Page 2 / 14
--	-------------	-------------

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - <2.5	Pentane
	CAS: 109-66-0, EINECS/ELINCS: 203-692-4, EU-INDEX: 601-006-00-1, Reg-No.: 01-2119459286-30-XXXX
	GHS/CLP: Flam. Liq. 1: H224 - Asp. Tox. 1: H304 - STOT SE 3: H336 - Aquatic Chronic 2: H411 - EUH066
1 - <5	Titanium dioxide (<10µm)
	CAS: 13463-67-7, EINECS/ELINCS: 236-675-5, EU-INDEX: 022-006-002
	GHS/CLP: Carc. 2: H351
0.005 - <0.05	1,2-benzisothiazol-3(2H)-one
	CAS: 2634-33-5, EINECS/ELINCS: 220-120-9, EU-INDEX: 613-088-00-6
	GHS/CLP: Acute Tox. 4: H302 - Skin Irrit. 2: H315 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400.
	M-Factor (acute): 1
	SCL [%]: >=0.05: Skin Sens. 1: H317
<0.005	Pyridine-2-thiol 1-oxide, sodium salt
	CAS: 3811-73-2, EINECS/ELINCS: 223-296-5, EU-INDEX: 613-344-00-7
	GHS/CLP: Acute Tox. 4: H302 - Acute Tox. 4: H312 - Acute Tox. 4: H332 - Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 100, M-Factor (chronic): 10
0.00015 - <0.0015	Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1)
	CAS: 55965-84-9, EINECS/ELINCS: 611-341-5, EU-INDEX: 613-167-00-5
	GHS/CLP: Acute Tox. 3: H301 - Skin Corr. 1C: H314 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410 - Acute Tox. 2: H310 - Acute Tox. 2: H330 - EUH071, M-Factor (acute): 100, M-Factor (chronic): 100
	SCL [%]: >= 0.6: Eye Dam. 1: H318, >= 0.6: Skin Corr. 1C: H314, >= 0.0015: Skin Sens. 1A: H317, 0.06 - <0.6: Skin Irrit. 2: H315, 0.06 - <0.6: Eye Irrit. 2: H319

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off with warm water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 8.0

Page 3 / 14

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide. Water spray jet. Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder,

diatomaceous earth).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Take off contaminated clothing and wash before reuse.

Do not eat or drink when working.

Wash hands before breaks and after work.

Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with food and animal food/diet.

Protect from heat/overheating

Keep in a cool place. Store in a dry place.

Keep away from frost.

7.3 Specific end use(s)

See product use, SECTION 1.2

Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 8.0

Page 4 / 14

SECTION 8: Exposure controls / personal protection

8.1 **Control parameters**

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES

Pentane

CAS: 109-66-0, EINECS/ELINCS: 203-692-4, EU-INDEX: 601-006-00-1, Reg-No.: 01-2119459286-30-XXXX

Eight hours: 1000 ppm, 3000 mg/m³

DNEL

Substance

Pentane, CAS: 109-66-0

Industrial, dermal, Long-term - systemic effects, 432 mg/kg bw/day

Industrial, inhalative, Long-term - systemic effects, 3000 mg/m³

general population, oral, Long-term - systemic effects, 214 mg/kg bw/day

general population, dermal, Long-term - systemic effects, 214 mg/kg bw/day

general population, inhalative, Long-term - systemic effects, 643 mg/m³

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection 0.45 mm Nitrile rubber, >480 min (EN 374-1/-2/-3).

The details concerned are recommendations. Please contact the glove supplier for further

information.

Skin protection light protective clothing

Other Avoid contact with eyes and skin.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Protect the environment by applying appropriate control measures to prevent or limit

emissions.

Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023 Version 8.0 Page 5 / 14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormpastyColorwhite

Odor characteristic **Odour threshold** not determined pH-value not determined pH-value [1%] not determined Boiling point [°C] not applicable Flash point [°C] not applicable Flammability not relevant Lower explosion limit not applicable **Upper explosion limit** not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/cm³] not determined

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water virtually insoluble

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

not determined

Kinematic viscosity not applicable
Relative vapour density not relevant
Evaporation speed not relevant
Melting point [°C] not relevant
Auto-ignition temperature [°C] not applicable
Decomposition temperature [°C] not determined

Particle characteristics No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 8.0

Page 6 / 14

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023 Version 8.0

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on available data, the classification criteria are not met.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

LD50, oral, Rat, 670-784 mg/kg (EPA Guideline)

LD50, oral, Rat, 1020 mg/kg

NOAEL, oral, Rat, 10 mg/kg/90d (OECD 408)

Pentane, CAS: 109-66-0

LD50, oral, Rat, 2000 - 5000 mg/kg (IUCLID)

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LD50, oral, 64 mg/kg (ECHA. CLH Report)

LD50, oral, Rat, 53 mg/kg

Pyridine-2-thiol 1-oxide, sodium salt, CAS: 3811-73-2

LD50, oral, Rat, 1208 mg/kg

Titanium dioxide (<10µm), CAS: 13463-67-7

LD50, oral, Rat, >5000 mg/kg (OECD 425)

NOAEL, oral, Rat, 3500 mg/kg/d (90d)

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

LD50, dermal, Rat, > 5000 mg/kg (EPA OPP 81-2)

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LD50, dermal, Rabbit, 87.12 mg/kg (ECHA. CLH Report)

Pyridine-2-thiol 1-oxide, sodium salt, CAS: 3811-73-2

LD50, dermal, Rabbit, 1800 mg/kg

Titanium dioxide (<10µm), CAS: 13463-67-7

LD50, dermal, Rabbit, >5000 mg/kg

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Substance

Pentane, CAS: 109-66-0

LC50, inhalative, Rat, 25.3 mg/l (4h) (IUCLID)

Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9

LC50, inhalative, Rat, 0.171 mg/l/4h (ECHA. CLH Report)

Pyridine-2-thiol 1-oxide, sodium salt, CAS: 3811-73-2

LC50, inhalative, Rat, 1.08 mg/l (4 h)

Titanium dioxide (<10µm), CAS: 13463-67-7

LC50, inhalative, Rat, >6.8 mg/l/4h

NOAEC, inhalative, Rat, 10 mg/m³ (90d)

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

Eye, Rabbit, EPA OPP 81-4 (100 mg), Causes serious eye damage.

Pentane, CAS: 109-66-0

Page 7 / 14

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023	Version 8.0	Page 8 / 14
Eye, non-irritating		
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3	-one (3:1), CAS: 55965-84-9	
Harmonised classification: Skin Corr. 1C H314		
Titanium dioxide (<10µm), CAS: 13463-67-7		
no adverse effect observed		

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Based of available data, the diagonisation officina are not met.
Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
dermal, irritant
Pentane, CAS: 109-66-0
dermal, non-irritating
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
Harmonised classification: Skin Corr. 1C H314
Titanium dioxide (<10µm), CAS: 13463-67-7
dermal, non-irritating

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met. May cause an allergic skin reaction.

may occurs an energies of an energie
Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
dermal, sensitising
Pentane, CAS: 109-66-0
dermal, non-sensitizing
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
dermal, Harmonised classification: Skin Sens. 1A H317
Titanium dioxide (<10µm), CAS: 13463-67-7
dermal, non-sensitizing

Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity repeated exposure

Based on available data, the classification criteria are not met.

Substance 1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5 NOAEL, oral, Rat, 69 mg/kg bw/day (OECD 407), The effects observed are not sufficient for classification.

NOAEC, inhalative, Rat, 20000 mg/m³, no adverse effect observed

Pentane, CAS: 109-66-0

Mutagenicity

Does not contain a relevant substance that meets the classification criteria.

Substance	
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5	
in vivo, negativ	
in vitro, negativ	
Pentane, CAS: 109-66-0	
in vivo, negativ	
in vitro, negativ	
Titanium dioxide (<10µm), CAS: 13463-67-7	
no adverse effect observed	
one +49 (0)941-646 353-0, 231006	rms00313 EU

Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 8.0

Page 9 / 14

Reproduction toxicity

Does not contain a relevant substance that meets the classification criteria.

- Fertility

Substance

1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5

NOAEL, oral, Rat, 112 mg/kg bw/day (subchronic), no adverse effect observed

Pentane, CAS: 109-66-0

NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed

NOAEC, inhalative, Rat, 20000 mg/m³, no adverse effect observed

- Development

Substance

Pentane, CAS: 109-66-0

NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed

NOAEC, inhalative, Rat, 24080 mg/m³, no adverse effect observed

Titanium dioxide (<10µm), CAS: 13463-67-7

NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

Carcinogenicity

The contained dangerous materials are not freely available with foreseeable use.

Substance

Titanium dioxide (<10µm), CAS: 13463-67-7

Harmonised classification: Carc. 2 H351

Aspiration hazard

Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information

none

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023	Version 8.0	Page 10 / 14
--	-------------	--------------

SECTION 12: Ecological information

12.1 Toxicity

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LC50, (96h), Oncorhynchus mykiss, 1.4 mg/l (OECD 203)
LC50, (96h), Oncorhynchus mykiss, 0.8 mg/l
EC50, (48h), Daphnia magna, 4.4 mg/l
EC50, (48h), Daphnia magna, 1.05 mg/l (OECD 202)
EC50, (72h), Pseudokirchneriella subcapitata, 0.11 mg/l (OECD 201)
EC10, (72h), Pseudokirchneriella subcapitata, 0.04 mg/l (OECD 201)
Pentane, CAS: 109-66-0
EL50, (48h), Daphnia magna, 48.11 mg/l
EL50, (72h), Algae, 20.33 mg/l
LL50, (96h), fish, 27.55 mg/l
Mixture: 5-chloro-2-methyl-2H- isothiazol-3-one/2-methyl-2H-isothiazol-3-one (3:1), CAS: 55965-84-9
LC50, (96h), Oncorhynchus mykiss, 0.19 mg/l
EC50, (48h), Daphnia magna, 0.18 mg/l
ErC50, Skeletonema costatum, 0.003 mg/l
Pyridine-2-thiol 1-oxide, sodium salt, CAS: 3811-73-2
LC50, (96h), Oncorhynchus mykiss, 0.0066 mg/l
EC50, (48h), Daphnia magna, 0.022mg/l
Titanium dioxide (<10µm), CAS: 13463-67-7
LC50, (96h), Pimephales promelas, > 1000 mg/l
LC50, (96h), Oncorhynchus mykiss, > 100 mg/l (OECD 203)
LC50, (48h), Daphnia magna, > 100 mg/l (OECD 202)
EC50, (72h), Pseudokirchneriella subcapitata, 16 mg/l
NOEC, (28d), Bacteria, >100000 mg/kg (ASTM 1706)

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

not determined

Behaviour in sewage plant Biological degradability

not determined

12.3 Bioaccumulative potential

not determined

12.4 Mobility in soil

not determined

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 8.0

Page 11 / 14

12.7 Other adverse effects

Ecological data of complete product are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

070299

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with

IMDG

NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023 Version 8.0 Page 12 / 14

14.3 Transport hazard class(es)

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID

nο

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Struktur Acryl 425

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023 Version 8.0 Page 13 / 14

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH)

The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances \geq 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 40, 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (EU):

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

EUH071 Corrosive to the respiratory tract.

H330 Fatal if inhaled.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H301 Toxic if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life. H319 Causes serious eye irritation.

H315 Causes skin irritation.

H332 Harmful if inhaled.

H312 Harmful in contact with skin.

H302 Harmful if swallowed.

EUH066 Repeated exposure may cause skin dryness or cracking.

H411 Toxic to aquatic life with long lasting effects.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways. H224 Extremely flammable liquid and vapour.

H351 Suspected of causing cancer.

Ramsauer GmbH & Co KG 5350 Strobl / Wolfgangsee

Date printed 02.11.2023, Revision 02.11.2023

Version 8.0

Page 14 / 14

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Modified position

SECTION 6 been added: Use personal protective equipment (protective gloves, safety

glasses, protective clothing).

SECTION 6 been added: Ensure adequate ventilation.

SECTION 9 been added: liquid

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

Copyright: Chemiebüro®